

OIL-BATH AIR CLEANER

Available in Basic, De Luxe Basic and Deluxe models or Packages 988702 (Chieftain) and 988703 (Super Chief and Star Chief).

Specifications: Cleaner with side-arm silencer for Chieftain, Super Chief and Star Chief models. Oil capacity—1 pint. Oil viscosity SAE 50 or 20 W.

AIR CONDITIONING

Available as Group N or as Package 988701.

Specifications: Complete outside-air system. Underhood location of unit. Thermostatic temperature control. Two-speed blower motor—175-cfm-capacity blower—magnetic compressor clutch. Compressor operated only as required. Large multicylinder compressor. Completely adjustable air-outlet nozzles.

MOTOR-DRIVEN ANTENNA

Available with radio as Group EX and in De Luxe Basic—DB Group or for dealer installation.

Semi-Automatic (Sedans & Coupes)	988554
Semi-Automatic (Safaris)	988555
Automatic (Sedans & Coupes)	988711
Automatic (Safaris)	988712

Specifications: Reversible 12-volt motor. Antenna sections raised and lowered by nylon cord. Reduction gears, nylon-cord drive and electric motor enclosed in water-tight housing—self-lubricating. Three-section mast, two lower sections brass, nickel and chrome plated, upper section stainless wire. Height fully extended, 57 inches, fully retracted, 7 inches.

ASH TRAY LAMP

Available in Lamp—LM or HX Groups or Packages 988681, Single, Chieftain models—and 988682, Double, Super Chief and Star Chief.

Specifications: Number 53 bulb, 1 candlepower lamp, mounted in a suitable socket with automatic switch. The lamp is wired into the headlamp switch so that it is turned on or off with the headlamps.

AUTRONIC-EYE—AUTOMATIC HEADLAMP BEAM CONTROL

Available for dealer installation only in Package 988763.

Specifications: An electronic device consisting of a phototube on instrument panel, amplifier for photomultiplier tube, and power relay under the hood. Foot overriding control switch on toe board.

PARKING BRAKE WARNING LAMP

Available in Lamp Group and J or Package 988719.

Specifications: #57 12-volt bulb. Socket with red plastic lens attached to lower flange of instrument panel. Bimetal flasher.

POWER BRAKES

Available as Group L or as Package 988677.

Specifications: A steel housing with flexible diaphragm directly connected to the hydraulic brake master cylinder. Diaphragm movement results from difference in pressure between vacuum on one side and atmospheric pressure on other side.

ELECTRIC CLOCK

Available as Group M or as Package 988713.

Specifications: A true electrically driven clock movement—as contrasted to a spring-driven electrically wound movement. Sweep second hand, automatic regulation.

COMPASS

Available for dealer installation only under Part No. 988674.

Specifications: Dial floating on nonfreezing liquid in sealed glass container. Plastic housing with two compensating Alnico magnets. Number 53 bulb for night lighting.

CONTINENTAL TIRE KIT

Available for dealer installation only as Part Nos. 988737, 988738, 988739 and 988740.

Specifications: Rigid subframe with anti-rattle pivot. Carrier pivots to left for easy access to trunk, convenient removal of tire and wheel. Carrier arm spring loaded for easy pivoting of carrier and to prevent rattles. Stainless-steel side bumper extension covers. Available with either solid plate or open plate exposing wheel disc, also with painted or stainless-steel retaining ring.

988737 Continental Tire Kit	Solid Plate	Painted Ring
988738 Continental Tire Kit	Solid Plate	Stainless Ring
988739 Continental Tire Kit	Open Plate	Painted Ring
988740 Continental Tire Kit	Open Plate	Stainless Ring

COURTESY LAMPS

Available as Package 988687.

Specifications: Two #89 6-candlepower 12-volt lamps in a translucent nylon plastic globe, which are mounted under right and left ends of the instrument panel. Connected with dome light switch to automatically light when front doors are opened. Auxiliary toggle switch under the instrument panel turns on lamps without doors being opened.

CURB FEELERS

Available only as Package 988594.

Specifications: Coiled steel strips, nickel and chrome plated. Mounting bracket permits feeler adjustment for height from ground.

LATEX FOAM SEAT CUSHIONS

Available factory installed only—Front Seat BA & K; Rear Seat KK; and Custom Lounge Front Seat DB and KX.

Specifications: Molded foam rubber—regular front, 1 1/4 inches thick; custom lounge front, 2 1/4 inches thick; all rear cushions, 1 1/4 inches thick.

DOOR HANDLE GUARDS

Available as Package 987505.

Specifications: Chrome-plated zinc die casting.

REAR WINDOW DEFROSTER

Available only as Package 984928.

Specifications: 3 1/4" Sirocco fan driven by 1/80-hp., 12-volt electric motor. Control switch mounted on instrument panel flange.

DOOR EDGE GUARDS

Package 987566—2-Door Sedan & 2-Door Safaris
987568—Convertible & Catalina Coupes
988765—4-Door Sedans & Safaris
988764—4-Door Catalinas

Specifications: Stainless steel of .018 gauge formed in U shape to fit contour of door edge. Held in place by 4 friction clips. No holes required to attach.

E-Z-EYE GLASS

Available factory installed only in Group I (all windows) and II (windshield only).

Specifications: Laminated Safety Plate glass—blue tint incorporated in glass. Plastic laminate used between glass. Thickness 1/4".

DUAL EXHAUSTS

Available as Group LL or as Packages—988704 Dual Exhaust Pipes & Mufflers—All Except Chieftain 4-Door Safari 988705 Tailpipe Package—All Chieftain and Super Chief Models Exc. Safaris 988706 Tailpipe Package—All Safari Models Exc. 3-Seat Chieftain Model 988707 Tailpipe Package—All Star Chief Models Exc. Safari

Specifications: Two separate mufflers, with necessary exhaust pipes. Right- and left-hand tailpipes. Mufflers sized and tuned to handle exhaust from 4 cylinders.

FENDER SHIELDS

Available in Q Group or Package 988678 (except Super Chief and Chieftain Safaris).

Specifications: .035 cold-rolled steel—rubber seal—quick-release self-locking retainer.

PROTECTIVE FLOOR MATS

Available as Packages—

COLOR	Front	Rear	Trim combination to be used with—
Gray Custom	988725	988731	203, 209, 215, 221, 219, 225, 229, 235, 238, 244
Maroon Custom	988726	988732	236, 239, 245
Green Custom	988727	988733	237, 240, 246
Blue	988728	988734	204, 216, 222, 226, 247, 248, 250
Green	988729	988735	205, 211, 217, 223, 227
Off-White	988730	988736	All

Specifications: Contour mats to cover all of front and rear floor area except tunnel. Embossed trim lines on front mats to fit Hydra-Matic or Synchronesh, power brake or standard brake equipped cars. Trim lines on rear mats to fit Sedans, Catalinas, or Convertibles. Reinforced at accelerator pedal, non-skid under surface, ribbed upper surface. Tensile strength 500 psi, hardness 67-75. Comounded color-fast rubber.

LOCKING GAS TANK FILLER CAP

Available only as Package 988747.

Specifications: Chrome-plated die-cast cap. Installs in place of standard cap without attaching parts. Tumbler and cylinder lock with two coded keys.

GLOVE COMPARTMENT LAMP

Available in Lamp—LM and FX Groups or Package 988720.

Specifications: Nominal 2-c.p. #57 bulb. Nylon plastic shield. Plunger switch. Automatic operation with opening or closing of glove compartment door.

HEATER

Available in Basic, De Luxe Basic and B Groups, or Package 988714 Blower and Air Duct Package, and 988715 Heater and Defroster Package.

Specifications: New cellular heater core with 4470.3 square inches radiating surface. Cellular defroster core, 1606.3 square inches radiating surface. Thermostatic temperature control. $\frac{1}{2}$ -hp blower motor driving Sirocco fan. Two-speed motor switch control. Cowl outside-air intake. Positive heat distribution front and rear passenger compartments.

HANDICAP CONTROLS

Available for dealer installation.

988507—Right-Hand Operated Accelerator and Brake Control.

988748—Hand Dimmer Switch.

988749—Left-Foot Accelerator.

Specifications: Hand-operated accelerator and brake control consist of two shafts mounted by sturdy steel brackets parallel to the steering column. At the upper end just below the steering wheel is attached the hand lever. At the lower end one shaft is connected to the brake pedal, the other shaft through a lever and linkage to the accelerator pedal.

The hand dimmer switch is a toggle switch mounted within easy reach on the instrument panel. The left-foot accelerator is a standard accelerator pedal with appropriate brackets and linkage for mounting on the left side. It can be used interchangeably with the regular or right-hand accelerator.

KLAXON "K-3" HORN

Available as Package 988716.

Specifications: Clam shell—vibrator type horn.

ILLUMINATED FENDER ORNAMENTS

Available in MX Group or as Package 988709.

Specifications: Streamlined die-cast ornament, nickel and chrome plated. Lucite plastic tip lighted by a one-candlepower #53 12-volt bulb. Mounted on right and left fenders.

INSTRUMENT PANEL CUSHION

Available as JX Group or as Packages—

	Part No.	To be used with Trim Number
Essex Grey	988688	200, 203, 209, 215, 219, 221, 225, 229
Breton Blue	988689	204, 216, 222, 226
Jasper Green	988690	205, 211, 217, 223, 227
Tartan Red	988691	210, 224, 228
Silver Beige	988692	235, 238, 244
Cordova Red	988693	236, 239, 245
Limefire Green	988694	237, 240, 246
Fontaine Blue	988695	247, 248, 250

Specifications: Plastic cover molded to plastic-foam foundation. Plastic foam 1 inch at point of impact. Finish prevents glare.

KOOL KOOSHION

Available as Package 988539.

Specifications: Open-weave fiber material top and bottom. Coiled piano-wire separator. Cushion 22 $\frac{1}{2}$ " wide by 16" long. Back 18" wide by 21" high.

LICENSE PLATE FRAME

De Luxe type—Available as Package 988606.

Specifications: .02 gauge stainless steel, formed with continuous flange.

LUGGAGE COMPARTMENT

AND UTILITY LAMP

Available in Lamp—LM or GG Groups or as Package 988721 (except all Safaris).

Specifications: Cadmium-plated stamped housing and reflector. 15-candlepower #1003 12-volt lamp bulb. 17-foot insulated double wire wound on reel, Mercury switch.

OUTSIDE REAR-VIEW MIRROR

Available in Mirror—MR or GX Group or Part No. 988676.

Specifications: Adjustable die-cast mounting bracket for installation either on door or fender or both left and right sides of car. 4-inch "Cromir" mirror, 4 $\frac{3}{8}$ -inch die-cast hood. Nickel and chrome plated to GM specifications for exposed parts.

REMOTE-CONTROL MIRROR

Available for dealer installation only as Package 984935.

Specifications: 4 $\frac{1}{4}$ -inch "Cromir" glass—mounted in die-cast housing. Adjustable vertically and horizontally from inside of car.

TILTING NON-GLARE

REAR-VIEW MIRROR

Available in Mirror—MR or JJ Groups or Package 988647.

Specifications: Wedge-shaped 10 by 2 $\frac{1}{2}$ inch plate-glass mercury mirror—adjustable mounting bracket. Range of vertical adjustment 2.6 inches. Operating tabs show whether mirror is in day or night position.

VISOR VANITY MIRROR

Available in Mirror—MR Group or Package 984666.

Specifications: Lead sulphite glass mirror 3 $\frac{1}{2}$ inches by 10 inches.

OIL FILTER

Available as Basic, De Luxe Basic Group or Group R.

Specifications: Full-flow filter with safety bypass. Filtering element, special filter paper formed in accordion-like layers.

DE LUXE RADIO

Available in BA—Basic and D Groups or as Package 988671.

Specifications: Five tubes plus high-power output transistor. Push-pull circuit—6-watt undistorted output. Two units—power supply and audio section tuner assembly and RF—IF section. 6" x 9" elliptical speaker, automatic volume control, tone control, 2-way tuning—5 easy-to-set push buttons and manual tuning.

SAFARI STRETCHER-CARRIER EQUIPMENT

Available for dealer installation.

- 988685 Standard Hospital Stretcher Holder.
- 988686 Jiffy Stretcher Holder for emergency or folding two-wheel stretchers.
- 988741 Tail Gate Support Cables.
- 988510 Tail Gate Floor-Opening Cover.

Stretcher-carrier equipment available for all Safari models. If a split front seat is desired for the Chieftain 4-Door Safari it must be specified on the car order. Seats will not be exchanged. Split front seat not available for Super Chief 4-Door Safari. Car must be ordered with this seat.

Specifications: Standard hospital stretcher hook Chrome-plated steel bar with hooks at ends to engage stretcher. Rear hook movable by spring-loaded control lever to permit engaging and disengaging stretcher. Mounted on L-shaped standards attached to two floor plates by thumb screws.

Jiffy stretcher holder. Single hook mounted on L standard. Hook raised and lowered by lever to engage side bar of stretcher. Attached to single floor plate by thumb screws. Chrome-plated steel.

Extra-length tail gate cable. Flexible steel wire cables of sufficient length to permit tail gate to slope downward for easy loading of stretcher.

Tail gate cover. Hinged black enamel steel plate extending width of body. Covers space between open tail gate and floor of body for easy loading of stretcher.

6-WAY

COMFORT CONTROL FRONT SEAT

Available factory installed in Group S or for dealer installation under Package 988683.

Specifications: A seat track of steel stampings with front and rear pivots. Front and rear directional ratchets controlled by lever at left side of seat permit movement upward while preventing movement downward or vice versa and lock automatically against movement in either direction when control lever is released.

EIGHT-WAY POWER

COMFORT CONTROL FRONT SEAT

Available in Group SX or as Package 988684.

Specifications: Seat frame similar to manual comfort control seat but power operated. Reversible 12-volt electric motor driving worm shaft supplies power. Split nut on worm shaft actuates various mechanisms to produce seat movements. Motor and split nut are controlled by a 3-lever switch at left side of seat.

ELECTRIC SHAVER

Available as Package 987474.

Specifications: 12-volt—110-volt electric vibrator type drive. 3 cutting heads. Cigarette lighter plug.

DUAL HI-FI REAR SEAT SPEAKERS

Available as Group DX or as Package 988673. (Sedans & Catalina Coupes.)

Specifications: Two 6" by 9" elliptical speakers. Permanent magnet type. Four-position control switch mounted above radio dial. 2 speaker grilles.

SPOTLAMP

Available as Package 988645.

Specifications: Five-inch diameter—30-watt sealed lighting unit—chrome-plated die-cast body door and arm, chrome-plated die-cast housing, chrome-plated sheet shaft. Bronze gears spring loaded to prevent play or backlash. 4" "Cromir" mirror.

PORTABLE SPOTLAMP

Available only as Package 987112.

Specifications: Die-cast chrome-plated lamp shell and handle. Five-inch diameter. Number 4416—30-watt sealed-light unit. Twelve feet of electric cord with cigar-lighter plug.

DE LUXE STEERING WHEEL

Available for Chieftain Models as H Group or for dealer installation as Package 988724

Specifications: 17½" steel wheel with Tenite molded rim, 75,000 lbs. per sq. inch tensile strength—2 spokes deep-dished for added safety, 11¾-inch diameter die-cast chrome-plated horn blowing ring.

TISSUE DISPENSER

Available for dealer installation only as Package 988675.

Specifications: Sheet steel container with rust-proof gray finish, decorative stainless-steel front, cadmium-plated bracket and pivot. Capacity: standard box of 100 tissues.

UNDERCOATING

Available as Package 986359.

Specifications: U. S. Army Ordnance Department and GM specifications requiring high-grade pulverized asbestos filler, asphalt binder, mineral spirits solvent. Minimum solids, 55%. Minimum flash point, 100°F. 54-gallon non-returnable drums. Similar specifications for water-base undercoating—available where fire regulations do not permit mineral solvents to be used.

UNDERHOOD LAMP

Available as Package 988723.

Specifications: Cadmium-plated steel reflector, #93, 12-volt 15-candlepower bulb, mercury switch.

VENTSHADES

Available dealer installed only—Part Nos. 987135 (4 doors), 987136 (2 doors). (Not available for Catalina models.)

Specifications: Die-formed stainless-steel stampings.

SUN VISOR AND TRAFFIC LIGHT VIEWER

Available as Part No. 988668 (except Catalinas, Convertible and Custom 2-Door Safaris). Part No. 988669 is used on Catalinas and Custom 2-Door Safaris.

Specifications: .035 bonderized cold rolled steel. Stainless-steel moldings, die-cast center bracket. Lucite traffic light viewer.

WHEEL DISCS

Available in Group RX or Package 988680.

Specifications: .020-gauge stainless steel, chrome plated.

WINDSHIELD WASHER

Available in Group G or Part No. 988696 (without air conditioning) and Part No. 988697 (with air conditioning).

Specifications: Vacuum-operated water pump. Two-quart glass water container. Adjustable nozzles on wiper transmission housing, wiper-washer coordinator. Quick-acting push-button control on instrument panel.

WINDSHIELD WASHER SOLVENT

Available only as Package 984959.

Specifications: A special Pontiac formula of isopropyl alcohol 44.3%, water 51.4%, detergent 4.2% and dye .1%. Packaged in 2-oz. sealed plastic envelopes.

POWER SWEEP CONTOUR

ELECTRIC WINDSHIELD WIPER

Available as FF Group or as Package 988649.

Specifications: 2-speed 1/20 hp electric motor. 13-inch contour wiper blade.

ELECTRIC WINDOW LIFTS

Available only factory installed as Group OX.

Specifications: Individual reversible 12-volt electric motor for each window. Overload cutout on each motor. Control switch for all windows on driver's door and under each window for passengers.

basic group — BA

Underseat Heater and Defroster
De Luxe Radio and Manual Antenna
Latex Foam Cushion—Front Only
Oil-Bath Air Cleaner
Full-Flow Oil Filter

de luxe basic group — DB

Underseat Heater and Defroster
Hi-Fi Dual Rear Seat Speakers (Except Convertible and Salaris)
De Luxe Electramatic Wonder Bar Radio and Electric Antenna
Custom Lounge Latex Foam Cushion—Front Only
Oil-Bath Air Cleaner
Full-Flow Oil Filter

lamp group — LM

Back-Up Lamps
Glove Compartment Lamp
Luggage and Utility Lamp (Underhood and Utility Lamp on Salaris)
Ash Tray Lamps (Includes RH Ash Tray on Chebana Models)
Parking Brake Warning Lamp

mirror group — MR

Outside Rear-View Mirror
Inside Non-Glare Tilt Mirror
Visor Vanity Mirror

A — STRATU-FLIGHT HYDRAMATIC

C — POWER STEERING

E — DELUXE ELECTRAMATIC WONDER BAR
RADIO AND MANUAL ANTENNA

F — BACK-UP LAMPS

HY — EXTRA HORSEPOWER ENGINE

MM — COOL VENT CHROME TRIM

OO — ALL WINTER ANTIFREEZE (6 QTS)

OX — ALL WINTER ANTIFREEZE (10 QTS)

P — FRONT LICENSE PLATE BRACKET

PX — TRIPLE TUB BARREL CARBUROTERS

PP — DELUXE CARPET FLOOR MAT
(CONVERTIBLE ONLY)

SS — CUSTOM WHEEL DISCS

T — HEAVY DUTY TRANSMISSION OIL
COOLER

TT — LUGGAGE TOP CARRIER

U — MOUNTAIN AXLE (SYNCHROMESH
ONLY)

UX — PLAINS AXLE (HYDRAMATIC
ONLY)

VW — 7.50 X 14 WHITE

Y — 8.00 X 14 BLACK

YW — 8.00 X 14 WHITE

Z — 8.50 X 14 BLACK

ZW — 8.50 X 14 WHITE